

#	číslo bodu	typ geometrie	zeměpisná šířka			zeměpisná délka			max. výška Bpv	výška nad OP	fotka	popis	značení	
			°	'	''	°	'	''					denní	noční
1	7	bod	49	01	22.62	17	25	52.96	180,9	3,6		strom	-	-
2	14	linie	49	01	21.92	17	25	51.76	179,8	-		stromy	-	-
	15		49	01	21.67	17	25	51.84						
	16		49	01	21.44	17	25	51.78						
3	21	linie	49	01	16.99	17	25	49.56	181,3	-		stromy	-	-
	22		49	01	16.10	17	25	49.01						
4	34	bod	49	01	10.37	17	25	44.96	181,0	5,6		strom	-	-
5	65	bod	49	01	04.94	17	26	15.33	189,3	10,9		strom	-	-
6	67	bod	49	01	06.71	17	26	18.84	190,2	6,0		strom	-	-
7	69	bod	49	01	07.74	17	26	20.79	189,6	2,2		strom	-	-
8	71	bod	49	01	08.22	17	26	21.98	190,9	1,3		strom	-	-
9	73	linie	49	01	08.54	17	26	22.58	202,4	-		stromy	-	-
	74		49	01	12.93	17	26	19.84						
10	75	linie	49	01	18.11	17	26	25.65	201,3	-		stromy	-	-
	76		49	01	27.96	17	26	34.25						
11	404	bod	49	01	43.70	17	26	42.80	194,4	16,5		strom	-	-
12	405	bod	49	01	41.25	17	26	47.16	194,3	0,4		strom	-	-
13	501	bod	49	04	31.10	17	25	37.74	271,8	50,8	P3220046	komín firmy Algeco	A	A
14	504	bod	49	04	16.25	17	24	50.92	235,0	10,1	P3220050	ZZN Pomoraví - silo	N	A
15	507	bod	49	04	16.85	17	27	40.89	222,3	1,3	P3220054	Františkánský klášter - věž	N	N
16	509	bod	49	04	06.28	17	27	40.62	223,7	2,7	P3220056	2x věž kostela Svatého Františka Xaverského	N	N
17	512	bod	49	04	24.61	17	28	41.46	223,3	2,3	P3220059	komín teplárny Ctz s.r.o.	A	A

18	515	bod	49 07	20.91	17 30	47.04	445,9	118,9	P3220071	dlouhovlnný vysílač RKS Topolná	A	A
19	516	bod	49 07	34.98	17 30	51.20	444,4	117,4	P3220072	dlouhovlnný vysílač RKS Topolná	A	A
20	517	bod	49 03	51.55	17 29	18.65	258,0	37,0	P3220081	Kostel nanebevzetí Panny Marie - věž	N	N
21	521	bod	49 03	11.20	17 28	59.25	242,5	21,5	P3220087	Kostel narození Panny Marie - věž	N	N
22	523	bod	49 01	41.11	17 28	10.49	270,2	49,2	P3220090	komín bývalé cihelny	N	N
23	601	bod	49 01	07.99	17 25	42.13	194,2	15,8		strom	-	-
24	603	polygon	49 01	30.58	17 25	56.14	218,4	-	P3210022	les	-	-
604	49 01		31.41	17 25	56.56							
605	49 01		33.58	17 25	58.88							
606	49 01		35.04	17 25	59.85							
607	49 01		38.70	17 25	58.89							
608	49 01		42.90	17 26	00.34							
609	49 01		44.84	17 25	59.68							
610	49 01		51.39	17 25	59.22							
611	49 01		52.47	17 26	01.08							
612	49 01		54.96	17 26	00.36							
613	49 01		33.91	17 25	44.94							
614	49 01		33.84	17 25	46.99							
615	49 01		32.46	17 25	49.82							
616	49 01		31.79	17 25	52.49							
603	49 01	30.58	17 25	56.14								
25	619	bod	49 03	20.39	17 32	03.99	329,0	8,0		HradisteHrozenkov_Popovice2	A	N
26	707	linie	49 00	56.96	17 25	32.93	189,7	-		zástavba se stromy	-	-
708	49 00		50.67	17 25	34.91							
709	49 00		45.64	17 25	38.75							

27	710	linie	49 01 00.21	17 25 44.92	183,6	-		stromy	-	-
	711		49 01 00.69	17 25 43.83						
	712		49 00 59.71	17 25 42.36						
	713		49 00 59.65	17 25 41.39						
	714		49 01 00.08	17 25 40.53						
	715		49 01 00.97	17 25 39.78						
	716		49 01 01.41	17 25 37.86						
28	717	bod	49 00 59.70	17 25 45.21	183,8	8,4		strom	-	-
29	718	bod	49 00 59.60	17 25 46.16	187,0	11,7		strom	-	-
30	719	linie	49 00 58.47	17 25 47.36	185,6	-		stromy	-	-
	720		49 00 56.55	17 25 47.96						
31	721	linie	49 00 54.64	17 25 50.81	186,6	-		stromy	-	-
	722		49 00 53.87	17 25 52.13						
32	723	linie	49 00 57.52	17 26 01.34	191,3	-		stromy	-	-
	724		49 00 51.10	17 25 50.92						
33	725	linie	49 00 52.02	17 25 55.60	189,2	-		stromy	-	-
	726		49 00 48.08	17 26 03.95						
34	727	linie	49 00 45.42	17 25 58.92	195,1	-		stromy	-	-
	728		49 00 47.64	17 26 05.14						
	729		49 00 46.10	17 26 08.49						
35	730	polygon	49 02 38.32	17 27 23.23	211,7	-		zástavba se stromy	-	-
	731		49 02 42.09	17 27 20.23						
	732		49 02 40.47	17 27 15.50						
	733		49 02 46.72	17 27 10.59						
	734		49 02 50.82	17 27 13.70						

	735		49 02	51.84	17 27	12.83						
	736		49 02	51.94	17 27	09.16						
	737		49 02	55.38	17 27	07.52						
	738		49 02	57.74	17 26	59.26						
	739		49 02	58.20	17 26	59.43						
	740		49 02	55.81	17 27	13.23						
	741		49 03	02.25	17 27	18.03						
	742		49 02	58.65	17 27	43.70						
	743		49 02	56.56	17 27	44.50						
	744		49 02	53.01	17 27	42.20						
	745		49 02	44.79	17 27	33.24						
	746		49 02	36.20	17 27	26.67						
	730		49 02	38.32	17 27	23.23						
36	755	linie	49 01	21.70	17 25	52.48	179,6	-		stromy	-	-
	756		49 01	21.40	17 25	52.40						
37	757	linie	49 01	30.43	17 25	55.56	189,3	-		stromy	-	-
	758		49 01	22.27	17 25	52.21						
38	621	bod	49 04	19.41	17 30	52.50	381,0	80,2	UHROV	Převaděč TO2 - Rozhledna Rovnina	A	A
39	622	bod	49 03	23.70	17 32	24.03	350,0	29,0	UHPOP	Převaděč TO2 - Popovice Milotín	A	A
40	759	polygon	49 05	20.18	17 33	12.46	335,0	-		terén, les	-	-
	760		49 05	16.21	17 33	10.43						
	761		49 05	15.47	17 32	58.53						
	762		49 05	18.66	17 32	54.96						
	763		49 05	15.59	17 32	51.56						
	764		49 05	12.92	17 32	51.94						

	765		49	05	11.22	17	32	53.24						
	766		49	05	10.06	17	32	56.21						
	767		49	05	07.14	17	33	03.10						
	768		49	05	03.22	17	33	14.04						
	769		49	05	07.18	17	33	25.07						
	759		49	05	20.18	17	33	12.46						
41	770	polygon	49	04	50.96	17	32	09.03	350,0	-		terén, les zástavba	-	-
	771		49	04	51.96	17	31	59.20						
	772		49	04	50.12	17	31	29.96						
	773		49	04	48.91	17	31	19.31						
	774		49	04	51.45	17	31	12.18						
	775		49	04	46.06	17	31	04.50						
	776		49	04	43.37	17	31	06.42						
	777		49	04	42.39	17	31	01.14						
	778		49	04	40.07	17	30	57.70						
	779		49	04	38.92	17	30	53.67						
	780		49	04	43.56	17	30	50.31						
	781		49	04	42.73	17	30	37.08						
	782		49	04	37.36	17	30	35.58						
	783		49	04	37.95	17	30	32.48						
	784		49	04	37.55	17	30	22.59						
	785		49	04	38.01	17	30	14.59						
	786		49	04	42.20	17	30	13.60						
	787		49	04	45.90	17	30	11.35						
	788		49	04	47.03	17	30	07.51						

789	49	04	39.39	17	30	03.63					
790	49	04	44.43	17	29	54.89					
791	49	04	45.26	17	29	51.62					
792	49	04	45.53	17	29	46.94					
793	49	04	45.00	17	29	41.77					
794	49	04	43.99	17	29	37.91					
795	49	04	47.03	17	29	32.60					
796	49	04	41.02	17	29	24.02					
797	49	04	35.23	17	29	19.91					
798	49	04	21.62	17	29	02.00					
799	49	04	16.40	17	28	58.36					
800	49	04	11.66	17	28	57.40					
801	49	03	52.45	17	28	29.47					
802	49	03	40.89	17	28	18.11					
803	49	03	31.35	17	28	15.46					
804	49	03	27.84	17	28	24.64					
805	49	03	23.88	17	28	28.33					
806	49	03	11.14	17	28	57.53					
807	49	03	23.05	17	29	15.20					
808	49	03	24.21	17	29	33.60					
809	49	03	21.65	17	29	43.84					
810	49	03	22.79	17	29	52.26					
811	49	03	18.04	17	29	59.59					
812	49	02	57.31	17	30	04.27					
813	49	02	48.72	17	30	11.03					

	814		49 02	46.65	17	30	22.50						
	815		49 02	49.96	17	30	29.25						
	816		49 02	58.17	17	30	39.07						
	817		49 03	19.84	17	30	56.36						
	818		49 03	40.08	17	30	57.86						
	819		49 03	55.57	17	30	57.01						
	820		49 03	58.54	17	31	07.82						
	821		49 03	55.15	17	31	18.13						
	822		49 03	57.93	17	31	25.83						
	823		49 04	01.72	17	31	27.90						
	824		49 04	22.27	17	31	30.50						
	825		49 04	28.74	17	31	26.13						
	826		49 04	32.66	17	31	26.64						
	827		49 04	39.13	17	31	41.89						
	828		49 04	43.21	17	32	05.29						
	770		49 04	50.96	17	32	09.03						
42	829	polygon	49 04	39.51	17	33	47.25	375,0	-		terén, les	-	-
	830		49 04	34.45	17	33	34.96						
	831		49 04	31.31	17	33	35.06						
	832		49 04	26.92	17	33	45.96						
	833		49 04	20.68	17	33	45.63						
	834		49 04	03.95	17	33	34.81						
	835		49 03	57.72	17	33	32.70						
	836		49 03	52.38	17	33	33.99						
	837		49 03	49.80	17	33	16.56						

	838		49	03	39.44	17	33	16.75						
	839		49	03	40.65	17	33	34.09						
	840		49	03	33.87	17	33	29.74						
	841		49	03	31.08	17	33	25.04						
	842		49	03	26.33	17	33	30.37						
	843		49	03	25.67	17	33	34.00						
	844		49	03	17.90	17	33	29.40						
	845		49	03	14.67	17	33	58.73						
	846		49	03	15.59	17	34	04.74						
	847		49	03	14.02	17	34	13.63						
	848		49	03	16.64	17	34	23.90						
	829		49	04	39.51	17	33	47.25						
43	849	polygon	49	03	22.95	17	32	32.07	330,0	-		terén, les	-	-
	850		49	03	21.09	17	32	30.82						
	851		49	03	20.26	17	32	32.34						
	852		49	03	13.42	17	32	40.16						
	853		49	03	08.90	17	32	44.08						
	854		49	03	06.06	17	32	49.56						
	855		49	03	01.23	17	32	54.74						
	856		49	02	59.55	17	32	59.79						
	857		49	02	59.00	17	33	05.63						
	858		49	02	59.13	17	33	19.53						
	859		49	03	05.89	17	33	24.14						
	860		49	03	10.39	17	33	22.69						
	861		49	03	10.84	17	33	12.87						

	862		49 03	24.53	17	32	52.65						
	863		49 03	25.12	17	32	41.84						
	864		49 03	22.45	17	32	33.70						
	849		49 03	22.95	17	32	32.07						
44	865	polygon	49 01	55.54	17	31	47.98	396,0	-		terén, les, zástavba	-	-
	866		49 02	07.72	17	31	41.59						
	867		49 02	06.99	17	31	33.22						
	868		49 02	18.70	17	31	22.90						
	869		49 02	18.26	17	31	12.62						
	870		49 02	25.30	17	31	03.99						
	871		49 02	04.57	17	30	47.59						
	872		49 02	02.30	17	30	51.08						
	873		49 01	50.51	17	30	58.60						
	874		49 01	32.99	17	31	15.54						
	875		49 01	28.30	17	31	00.78						
	876		49 01	41.96	17	30	53.97						
	877		49 01	55.85	17	30	43.04						
	878		49 02	09.78	17	30	31.19						
	879		49 02	19.43	17	30	19.32						
	880		49 02	23.03	17	29	57.71						
	881		49 02	20.31	17	29	46.25						
	882		49 02	12.33	17	29	48.74						
	883		49 02	07.11	17	29	02.44						
	884		49 02	15.83	17	28	49.42						
	885		49 02	14.31	17	28	37.61						

886	49	02	05.93	17	28	40.24					
887	49	02	03.05	17	28	14.52					
888	49	02	03.09	17	28	01.79					
889	49	01	48.64	17	27	58.11					
890	49	01	31.89	17	27	59.17					
891	49	01	25.52	17	27	33.01					
892	49	01	21.59	17	27	22.18					
893	49	01	17.04	17	27	19.15					
894	49	01	05.42	17	27	13.49					
895	49	00	52.53	17	27	05.24					
896	49	00	38.76	17	27	04.61					
897	49	00	24.07	17	26	59.61					
898	49	00	10.30	17	27	03.56					
899	49	00	04.09	17	27	09.09					
900	48	59	59.47	17	27	16.41					
901	48	59	54.37	17	27	43.16					
902	48	59	41.46	17	27	38.96					
903	48	59	30.59	17	27	43.52					
904	48	59	22.15	17	27	41.77					
905	48	59	14.44	17	27	42.78					
906	48	59	11.54	17	27	45.36					
907	48	59	11.43	17	27	51.38					
908	48	59	13.50	17	28	08.34					
909	48	59	10.27	17	28	25.98					
910	48	59	08.09	17	29	03.11					

911	48	59	13.35	17	29	14.26					
912	48	59	28.29	17	29	28.50					
913	48	59	30.41	17	29	39.22					
914	48	59	35.29	17	29	57.52					
915	48	59	41.55	17	29	54.63					
916	48	59	43.37	17	29	55.44					
917	48	59	51.59	17	29	48.27					
918	48	59	59.64	17	29	48.53					
919	49	00	02.81	17	29	53.02					
920	49	00	08.17	17	29	53.77					
921	49	00	15.04	17	30	22.07					
922	49	00	20.15	17	30	34.06					
923	49	00	22.31	17	30	50.32					
924	49	00	28.01	17	31	07.00					
925	49	00	14.23	17	31	25.43					
926	49	00	05.21	17	31	30.86					
927	49	00	13.03	17	32	58.55					
928	49	00	17.07	17	33	14.59					
929	49	00	29.74	17	33	08.83					
930	49	00	39.99	17	33	08.45					
931	49	00	43.22	17	33	21.13					
932	49	00	45.15	17	33	19.81					
933	49	00	42.05	17	33	08.80					
934	49	00	49.61	17	33	11.37					
935	49	00	54.05	17	33	16.40					

	936		49 00	56.13	17 33	24.24						
	937		49 01	06.91	17 33	26.00						
	938		49 01	22.35	17 33	21.31						
	939		49 01	31.45	17 33	07.05						
	940		49 01	28.86	17 33	00.04						
	941		49 01	19.59	17 33	00.72						
	942		49 01	22.12	17 32	49.23						
	943		49 01	04.19	17 32	42.61						
	944		49 01	21.50	17 32	36.07						
	945		49 01	25.71	17 32	24.73						
	946		49 01	36.68	17 32	22.86						
	947		49 01	40.30	17 32	13.49						
	948		49 01	45.65	17 32	10.37						
	949		49 01	46.32	17 32	04.71						
	865		49 01	55.54	17 31	47.98						
45	950	polygon	48 57	16.70	17 30	40.61	380,0	-		terén, les	-	-
	951		48 57	29.93	17 30	44.46						
	952		48 57	31.85	17 30	55.16						
	953		48 57	41.14	17 30	48.64						
	954		48 57	45.12	17 30	48.84						
	955		48 57	45.27	17 30	53.11						
	956		48 57	56.40	17 31	02.07						
	957		48 58	00.46	17 31	16.99						
	958		48 57	55.87	17 31	37.74						
	950		48 57	16.70	17 30	40.61						

46	959	polygon	48	57	55.70	17	29	09.53	370,0	-		terén, les	-	-
	960		48	57	56.65	17	29	02.35						
	961		48	57	54.80	17	28	46.62						
	962		48	57	57.29	17	28	43.52						
	963		48	57	52.19	17	28	23.87						
	964		48	57	45.46	17	28	14.61						
	965		48	57	44.04	17	28	10.62						
	966		48	57	49.03	17	28	05.57						
	967		48	57	47.68	17	28	02.37						
	968		48	57	39.09	17	28	09.55						
	969		48	57	28.72	17	28	19.46						
	970		48	57	25.14	17	28	10.97						
	971		48	57	22.66	17	28	12.88						
	972		48	57	26.27	17	28	22.17						
	973		48	57	20.86	17	28	28.11						
	974		48	57	11.32	17	28	25.85						
	975		48	57	10.79	17	28	38.47						
	976		48	57	16.73	17	28	47.41						
	977		48	56	58.42	17	29	11.97						
	978		48	56	50.66	17	29	16.79						
	979	48	56	55.12	17	29	43.46							
	980	48	57	11.85	17	29	41.79							
	981	48	57	11.10	17	30	13.75							
	982	48	57	17.82	17	30	25.65							
	983	48	57	21.10	17	30	17.50							

	984		48	57	22.09	17	29	51.17						
	985		48	57	26.46	17	29	51.05						
	986		48	57	35.72	17	29	42.61						
	987		48	57	39.95	17	29	59.25						
	988		48	57	47.45	17	29	53.90						
	989		48	57	45.26	17	29	41.11						
	990		48	57	51.72	17	29	33.78						
	991		48	57	59.64	17	29	35.03						
	992		48	58	00.94	17	29	08.71						
	959		48	57	55.70	17	29	09.53						
47	993	polygon	49	01	59.08	17	18	39.46	374,0	-		terén, les, zástavba	-	-
	994		49	01	51.51	17	18	51.96						
	995		49	01	52.89	17	19	12.08						
	996		49	01	58.84	17	19	06.06						
	997		49	01	58.44	17	19	23.04						
	998		49	02	04.96	17	19	44.05						
	999		49	02	14.73	17	19	50.59						
	1000		49	02	22.88	17	20	02.99						
	1001		49	02	22.27	17	20	08.95						
	1002		49	02	27.57	17	20	13.86						
	1003		49	02	33.81	17	20	29.27						
	1004		49	02	39.95	17	20	28.91						
	1005		49	02	55.63	17	20	44.88						
	1006		49	03	08.45	17	20	40.37						
	1007		49	03	13.93	17	20	39.27						

	1008		49	03	16.99	17	20	34.42						
	1009		49	03	17.98	17	20	29.65						
	1010		49	03	17.69	17	20	20.36						
	1011		49	03	13.34	17	20	14.10						
	1012		49	03	08.04	17	20	13.08						
	1013		49	03	07.97	17	20	05.89						
	1014		49	03	01.87	17	19	46.38						
	1015		49	03	06.29	17	19	42.59						
	1016		49	03	05.89	17	19	36.66						
	1017		49	02	57.87	17	19	33.34						
	1018		49	02	51.57	17	19	35.03						
	1019		49	02	48.37	17	19	27.94						
	1020		49	02	55.21	17	19	21.77						
	1021		49	02	58.84	17	19	16.57						
	1022		49	03	03.11	17	19	17.43						
	1023		49	03	05.06	17	19	13.76						
	993		49	01	51.51	17	18	51.96						
48	1024	polygon	49	01	04.26	17	25	41.97	187,0	-		stromy, zástavba	-	-
	1025		49	01	03.72	17	25	46.01						
	1026		49	01	00.03	17	25	46.93						
	1027		49	01	01.30	17	25	42.86						
	1024		49	01	04.26	17	25	41.97						